


FIG. 1

FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

```
Device profile # 3da {  
Device - Type :      input - device / scanner  
Device - Id :        scan5  
Device - Address :    172.16.10.2  
Transmission - Mode : FTP/Passive  
Resolution :         1200  
Data - Format :       JPEG, GIF, LIPSIV  
}
```

FIG. 8

```
Device profile # 3dc {  
  Device - Type :      output - device / printer  
  Device - Id :        1pt5 - 1  
  Device - Address :   172.16.10.5  
  Transmission - Mode : LPD/Passive, FTP/Passive  
  Resolution :        600  
  Data - Format :      LIPSIV  
}
```


FIG. 9

```
Device profile # 3dx {  
  Device - Type :      filter - device / conv  
  Device - Id :        proxy0  
  Device - Address :    172.16.10.10  
  Receive - Transmission - Mode :  FTP/[Passive, Active]  
  Send - Transmission - Mode :     FTP/[Passive, Active]  
  Receive - Resolution :  1200,600,400,300  
  Send - Resolution :     1200,600,400,300,100  
  Receive - Data - Format :  JPEG  
  Send - Data - Format :     JPEG, GIF, LIPSIV  
}
```


FIG. 10

FIG. 11





FIG. 12

FIG. 13





FIG. 14

```
Transmission path profile # 234 {  
  Description : "Copy scan5 to lp5 - 1"  
  Path - set : ((scan5, proxy0, lp5 - 1))  
  Input - Device : scan5  
  Input - Address : 172.16.10.2  
  Filter - Device : proxy0  
  Filter - Address : 172.16.10.10  
  Transmission - Mode : FTP  
  Transmission - Trigger : Destination  
  Resolution : 1200  
  Data - Format : JPEG  
  Output - Device : lp5 - 1  
  Output - Address : 172.16.10.5  
  Transmission - Mode : LPD  
  Transmission - Trigger : Source  
  Resolution : 600  
  Data - Format : LIPSIV  
}
```

FIG. 15

```
Virtual device # 413a {  
  Transmission - Profile : # 234  
  User - Profile : #taro11  
  Display - Comment : "Copy : lp5 - 1 ; taro"  
}
```

FIG. 16A**FIG. 16B**

Copy : lp5 - 1 ; t

FIG. 17





FIG. 18

FIG. 19




FIG. 20




FIG. 21

```
Device profile # 3da {  
Device - Type :      input - device / scanner  
Device - Id :        scan5  
Device - Address :    172.16.10.2  
Transmission - Mode : FTP/Active  
Resolution :         1200  
Data - Format :       JPEG, GIF, LIPSIV  
}
```

FIG. 22

```
Device profile # 3dc {  
  Device - Type :      output - device / printer  
  Device - Id :        1pt5 - 1  
  Device - Address :    172.16.10.5  
  Transmission - Mode : FTP/Active  
  Resolution :         600  
  Data - Format :       LIPSIV  
}
```

FIG. 23

```
Transmission path profile # 234 {  
  Description : "Copy scan5 to lp5 - 1"  
  Path - set : ((scan5, proxy0, lp5 - 1))  
  Input - Device : scan5  
  Input - Address : 172.16.10.2  
  Filter - Device : proxy0  
  Filter - Address : 172.16.10.10  
  Transmission - Mode : FTP  
  Transmission - Trigger : Source  
  Resolution : 1200  
  Data - Format : JPEG  
  Output - Device : lp5 - 1  
  Output - Address : 172.16.10.5  
  Transmission - Mode : FTP  
  Transmission - Trigger : Destination  
  Resolution : 600  
  Data - Format : LIPSIV  
}
```

FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28

```
Transmission path profile # 234 {  
  Description : "Copy scan5 to lp5 - 1"  
  Path - set : ((scan5, proxy0, lp5 - 1))  
  Input - Device : scan5  
  Input - Address : 172.16.10.2  
  Filter - Device : proxy0  
  Filter - Address : 172.16.10.10  
  Transmission - Mode : FTP  
  Transmission - Trigger : Source  
  Resolution : 1200  
  Data - Format : JPEG  
  Output - Device : lp5 - 1  
  Output - Address : 172.16.10.5  
  Transmission - Mode : LPD  
  Transmission - Trigger : Source  
  Resolution : 600  
  Data - Format : LIPSIV  
}
```


FIG. 29

FIG. 30




FIG. 31




FIG. 32

```
Transmission path profile # 234 {  
  Description : "Copy scan5 to lp5 - 1"  
  Path - set : ((scan5, proxy0, lp5 - 1))  
  Input - Device : scan5  
  Input - Address : 172.16.10.2  
  Filter - Device : proxy0  
  Filter - Address : 172.16.10.10  
  Transmission - Mode : FTP  
  Transmission - Trigger : Destination  
  Resolution : 1200  
  Data - Format : JPEG  
  Output - Device : lp5 - 1  
  Output - Address : 172.16.10.5  
  Transmission - Mode : FTP  
  Transmission - Trigger : Destination  
  Resolution : 600  
  Data - Format : LIPSIV  
}
```



FIG. 33

FIG. 34A

```

Device profile # 3da {
Device - Type :      input - device / scanner
Device - Id :        scan5
Device - Address :    172.16.10.2
Transmission - Style : Active - send
Transmission - Mode : FTP/LPD
Resolution :         400, 600, 1200
Medi - Size :         A4, A5, B4
Data - Format :       JPEG, GIF, LIPSIV
}

```

FIG. 34B

```

Device profile # 3dx {
Device - Type :      filter / tee
Device - Id :        proxy0
Device - Address :    172.16.10.3
Transmission - Style : Passive - receive, Active - receive,
                      Passive - send, Active - send
Transmission - Mode : LPD
Transmission - Type : Sequential ; source = single,
                      destination = multi
}

```

FIG. 34C


```

Device profile # 3dlp53 {
Device - Type :      output / printer
Device - Id :        1p5 - 3
Device - Address :    172.16.10.10
Output - Tray :       Lower
Transmission - Mode : FTP/LPD
Resolution :         300, 600
Medi - Size :         A4, A3
Data - Format :       LIPSIV, PostScript
}

```

FIG. 35

```
Transmission path profile # 234 {  
  Description : "Copy scan5 to lp5 - 3, lp5 - 1 via proxy0"  
  Input - Device : scan5  
  Input - Address : 172.16.10.2  
  Filter - Set : proxy0 = lp5 - 3, lp5 - 1  
  Filter - Device : proxy0  
  Filter - Address : 172.16.10.3  
  Transmission - Mode : LPD  
  Resolution : 600  
  Media - Size : A4  
  Data - Format : LIPSIV  
  Output - Set : lp5 - 3, lp5 - 1  
  Output - Device : lp5 - 3  
  Output - Address : 172.16.10.10  
  Output - Tray : Lower  
  Transmission - Mode : LPD  
  Resolution : 600  
  Media - Size : A4  
  Data - Format : LIPSIV  
  Output - Device : lp5 - 1  
  Output - Address : 172.16.10.5  
  Output - Tray : Any  
  Transmission - Mode : LPD  
  Resolution : 600  
  Media - Size : A4  
  Data - Format : LIPSIV  
}
```

FIG. 36

37/37
FIG. 37

